

Characteristics

These nitrile synthetic surgical gloves contain no natural rubber latex proteins. Soft, highly elastic formulation provides the maximum in comfort, fit and protection, while offering exceptional tactile sensitivity.

Features:

- Textured Finish for an Improved Wet/Dry Grip
- Non-Latex for No Risk of Latex Allergens
- Low Modulus for a Softer, More Comfortable Fit



**Surgical Glove
Sterile**



NitriDerm®

**Nitrile
Series 1352**

PRODUCT DETAILS

SIZE	ITEM NO.	PACKAGING	DESCRIPTION
6	135260	50 pairs/box, 4 boxes/case	Gloves, Surgical, Nitrile, Chemo, Sterile, Powder-Free, Textured
6.5	135265	50 pairs/box, 4 boxes/case	
7	135270	50 pairs/box, 4 boxes/case	
7.5	135275	50 pairs/box, 4 boxes/case	
8	135280	50 pairs/box, 4 boxes/case	
8.5	135285	50 pairs/box, 4 boxes/case	
9	135290	50 pairs/box, 4 boxes/case	

View this product on
our website:



Product Solutions You Trust



NitriDerm®

Nitrile Powder Free Sterile Surgical Gloves



100% Synthetic Surgical Gloves

**Tested for use with
Chemotherapy Drugs**



NitriDerm® is manufactured in compliance with multiple international standards, including the following:

Designation	Standard
ASTM D6319	Standard Specification for Nitrile Examination Gloves for Medical Application
ASTM D5151	Standard Test Method for Detection of Holes in Medical Gloves
ASTM F1671	Standard Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Blood-Borne Pathogens
ASTM D3577	Standard Specification for Rubber Surgical Gloves

Average Length	Average Palm Thickness	Average Finger Thickness
11.6 in ± 295 mm	5.5 mil ± 0.14 mm	6.7 mil ± 0.17 mm

Tensile Strength & Elongation	Before Aging	After Accelerated Aging
Tensile Strength (Mpa)	26	23
ASTM Requirement Min. (Mpa)	17	12
Elongation (%)	670	620
ASTM Requirement Min. (%)	650	490

Chemotherapy Drug Permeation (ASTM D6978)	
(Breakthrough detection time in minutes, 0.01µg/cm ² /min.)	
Carmustine (BCNU) (3.3 mg/mL)	79.0
Cisplatin (1.0 mg/mL)	>240
Cyclophosphamide (Cytoxan) (20.0 mg/mL)	>240
Dacarbazine (10.0 mg/mL)	>240
Doxorubicin Hydrochloride (2.0 mg/mL)	>240
Etoposide (Toposar) (20.0 mg/mL)	>240
Fluorouracil (50.0 mg/mL)	>240
Ifosfamide (50.0 mg/mL)	>240
Methotrexate (25.0 mg/mL)	>240
Mitomycin C (0.5 mg/mL)	>240
Mitoxantrone (2.0 mg/mL)	>240
Paclitaxel (Taxol) (6.0 mg/mL)	>240
Thio-Tepa (10.0 mg/mL)	79.2
Vincristine Sulfate (1.0 mg/mL)	>240



Product Solutions You Trust
1-800-272-1533



Innovative Healthcare Corporation is certified to ISO 13485:2003 QMS for medical devices.

Intertek

Gloves used for protection against chemotherapy drug exposure should be selected specifically for the type of chemicals being used. Review drug labelling or material safety data sheets for the chemicals being used to determine an adequate level of protection for the intended use.